


Field Safety Manual

Month, Year

Endorsed for **PROJECT NAME – CITY, STATE**



DISTRIBUTION LEVEL HERE

Table of Contents

Site Emergency Procedures	3
Closest Hospital and Trauma Center	4
Site Information	5
Key Site Contacts	6
MSDS Information	7
Site Radio Channels	
Site Map	9
Construction Zone	
Site Traffic Map	11
Site Specific Safety Rules	
Site SWPPP Information	
MSHA Information	
MSHA Zone Additional Rules	
Daily Inspections	
Weekly Inspections	
Monthly Inspections	
One Power Safety Program	
Helpful REFERENCES	
NIMS	
Notes add to the Book	

SITE EMERGENCY PROCEDURES

Emergency Phone 911

911 Script This is the **PROJECT NAME** Wind Farm. We have an emergency. It is a (tower rescue/fire/heavy rescue/ground trauma/ground medical) emergency. Use the entrance located near _____.

CLOSEST HOSPITAL AND TRAUMA CENTER

Level X Trauma NAME

Street Address City, State, Zip (XXX) XXX-XXXX

Level X Trauma NAME

Street Address City, State Zip (XXX) XXX-XXXX

<u>Hospital</u>

NAME

Street Address City, State, Zip (XXX) XXX-XXXX

SITE INFORMATION

<u>Site Address</u> Corner of Road _____ and Road ____ Gated entrance near the _____ City, State, Zip

<u>Plant Address</u> Plant Name Street Address City, State, Zip

Turbine Locations

L1 XX.XXXX°, -XX.XXXX° L2 XX.XXXX°, -XX.XXXX° L3 XX.XXXX°, -XX.XXXX°

KEY SITE CONTACTS

OE Site Duty	(XXX) XXX-XXXX
Phone	
OE Project	Name
Manager	E-Mail
	(XXX) XXX-XXXX
OE Project	Name
Engineer	E-Mail
	(XXX) XXX-XXXX
CUSTOMER	Name
NAME	E-Mail
Safety	Cell
Manger	
CUSTOMER	Name
NAME	E-Mail
Quarry	Cell
Manager	
CUSTOMER	Name
NAME Plant	E-Mail
Manager	Cell
Site Specific	Name
Project	E-Mail
Coordinator	Cell

NAME Gas	(XXX) XXX-XXXX
Company	
Sheriff	Sheriff
Department	(XXX) XXX-XXXX
Fire	Fire Dept
Department	(XXX) XXX-XXXX
State Poison	(XXX) XXX-XXXX
Control	

MSDS INFORMATION

MSDS sheets are stored digitally and are located in the folder linked to the QR code below. You can also ask any One Power supervisor to provide the MSDS to you digitally.

QR CODE HERE

SITE RADIO CHANNELS

Channel	Use
1	Reserved
2	Civil Crew
3	Electrical Crew
4	Erection Crew
5	
6	
15	CUSTOMER NAME Radio
	Dispatch
16	Site Wide & Emergency
	Channel

SITE MAP

DRAWING HERE

QR CODE HERE

CONSTRUCTION ZONE

DRAWING HERE

QR CODE HERE

SITE TRAFFIC MAP

Traffic route to site is marked in green on the map below:

DRAWING HERE

SITE SPECIFIC SAFETY RULES

- 1. Employees must always carry company IDs and Training cards on their person.
- 2. All contractors doing work on site must have a One Power ID guest badge. If they are on site more for than 2 days consecutively, they must have a specific (non-guest) badge issued.
- All equipment must be inspected and recorded in the inspection log prior to being used. Inspection logs can be found in the cab of each piece of equipment.
- 4. Hard hats must always be worn and must have reflective tape on the sides and back.
- 5. Employees must always have gloves on their person, even if they are not worn

SITE SWPPP INFORMATION

This site is subject to a state issued Storm Water Pollution Prevention Plan. A Notice of Intent has been issued for this project. This project is subject to EPA inspections. Any EPA inspections outside of the Special Construction Zone must be coordinated with COMPANY NAME management.

Site SWPPP information can be found in the folder linked in the QR code below:

QR CODE HERE

MSHA INFORMATION

Employee Training Logs

Employee training records are available LOCATION

Contractor MSHA Information

Contractor ID Number XXXXX

Contractor Name

Site Inspection Logs

Logs for inspections can be found LOCATION

Training Plan

The MSHA Training Plan is available LOCATION.

MSHA ZONE ADDITIONAL RULES

These rules apply in all MSHA zones and they supersede all other safety rules contained in this manual.

- 1. All vehicles must have their tires chocked when they are not being operated.
- 2. All employees must wear level 1 or higher fire-resistant clothing if doing work in this area.
- All Employees must wear high visibility clothing with reflective tape as an outer layer of clothing.

DAILY INSPECTIONS

Daily Site Inspections shall be performed by the Field Engineer or Field Supervisor on site and recorded in the site inspection book.

Site inspections shall contain the following:

- Inspection for posted site signage and safety information including MSDS information and training logs
- Site condition, including cleanliness and integrity of safety features such as excavation barriers, sloping and shoring of excavations, and stock pile consolidation
- 3. Log of all equipment on site including whether the equipment was staged that day

Daily Vehicle and Equipment Inspections shall be performed by the operator that first uses that vehicle. Inspection logs can be found in the cab of the vehicle or equipment

Current records are kept physically in the Site Control Knaack Box. All past inspections are kept digitally in ATHENA.

WEEKLY INSPECTIONS

1. SWPPP Compliance

MONTHLY INSPECTIONS

ONE POWER SAFETY PROGRAM SAFETY AND QUALITY STATEMENT

Safety and quality are always first, and they always will be.

One Power is in business to make a profit, but our operations will never be executed at the expense of the safety of our employees, our customers, or the community. We do not cut corners to improve profit. We do not hide our mistakes in safety or quality. We acknowledge them, we fix them, and we learn from them.

Safety and quality begins at the top. At One Power, the General Manager is, and always will be, in charge of safety and quality. Likewise, every team member is responsible for the safety and quality of their work. We enable our team members to be safe and to produce a quality product through a comprehensive training program and open communication. We will hold ourselves accountable for our failures.

If we fail to integrate safety and quality into everything we do, we will fail as an organization.

Safety is not what we put in writing. Safety is not what we are able to hide. True safety comes from our culture and the individuals on our team.

Above all else, One Power does not compromise on safety or quality.

Jereme Kent General Manager

MISSION STATEMENT

To be a company that demands and enables our team members to deliver industry leading safety, quality, and customer satisfaction in the performance of our projects.

AUTHORITY

This document has been adopted and approved by a consensus of the Board Members of One Power. This document may only be amended by a consensus of the Board of One Power. The General Manager may make changes and amendments to these documents that are in accordance with the mission statement for a period of 30 days before formally amending this document.

GENERAL APPROACH

This document is not meant to be an all-inclusive itemization of rules and regulations that One Power's employees, partners, and subcontractors shall follow. This document is meant to detail general principles and specific items where One Power's safety program exceeds applicable safety standards. This document is organized to match the format of 29 CFR 1926 (OSHA Construction). Specific items in our safety program that differ from OSHA minimums are contained in the appropriate subsection.

CULTURE

All of the safety rules, training, and paperwork mean nothing without having the correct safety culture. No One Power team member should hesitate to question the safety of anything we do. Every team member must take safety personally and consider themselves responsible for their safety and their teammates' safety at all times. Knowingly ignoring safety, whether it is yours, or your teammates', will not be tolerated and shall be considered grounds for immediate termination.

Under no circumstance will a team member be disciplined for asking a question about the safety of a situation or method. In the event that a team member is concerned about the safety of a specific situation, regardless of the answer that their immediate supervisor gave them, they may call the General Manager without any fear of retribution.

One Power General Manager: Jereme Kent (877) 298-5853 / (419) 905-5274

OSHA COMPLIANCE

This document shall be considered a supplement to 29 CFR 1926 and not a substitute. Additionally, if a more stringent state or local standard exists, then the more stringent rule shall govern. 29 CFR 1926 shall be considered incorporated by reference in its entirety for this document.

It is to be noted that in some circumstances, One Power may or may not be legally subject to OSHA standards. One Power shall, at all times, operate as though it is subject to OSHA and the balance of this document.

NATIONAL CONSENSUS STANDARDS

Throughout this document, several *National Consensus Standards* are included or referenced. It is the belief of One Power that in many cases the additional rules, regulations, and standards contained in these documents will provide for a safer workplace. The most current version of the referenced document shall be considered part of this document. Workers who are not familiar with the specific referenced documents shall be provided training on those standards as they relate to their work.

The *National Consensus Standards* are considered a part of this manual and should be read in conjunction with this document.

SUBCONTRACTORS

All subcontractors shall comply, at a minimum, with these standards including all inclusions and references. Subcontractors are, and shall be considered, team members. We succeed together and we fail together. In order to be industry leaders in safety, we must hold all of our team members to the highest of standards. Additionally, One Power must not be so arrogant as to think that we have the best safety program available. We will learn from our subcontractors' safety culture and programs. In the event that there is a conflict with a subcontractor's safety program and One Energy's, then the more stringent shall govern.

1926 Subpart A - General

- 1. All One Power team members shall cooperate and comply with properly identified OSHA inspectors and shall allow them reasonable access to all One Power sites without requiring any warrants.
- 2. OSHA inspectors shall comply with all applicable safety regulations in this document and shall be required to review and acknowledge the JSA that covers the area(s) they are visiting.
- Corporate office shall be informed in a timely manner that an OSHA inspector has approached or been on a project site.
- One Power sites shall always have at least one supervisor who has completed OSHA 30 hour, OSHA 510, or OSHA 500 training, during any time when work is being performed.
- 5. This supervisor shall be provided with this document in its entirety, and any referenced standards with which the supervisor is not familiar.
- 6. Posting of the OSHA 300 log shall take place at the corporate office only, unless directed differently by a company officer.
- 7. Any team member may, at any time, request and be provided with, a copy of the current OSHA 300 log in a timely manner.
- 8. All safety accidents or near misses shall be documented and reported to the relevant corporate officer as soon as the situation safely permits.

1926 Subpart B - General Interpretations

This section is included without modification.

1926 Subpart C - General Safety and Health Provisions

- 1. No construction, repair, or maintenance work shall be started at any project site until a Job Safety Analysis (JSA) is completed, discussed, and signed by all individuals who will be affected by the tasks being performed.
 - a. The standard form JSA (Appendix A) shall be used or subcontractor equivalent.
 - b. JSAs shall be kept and submitted regularly to the corporate office where they will be reviewed and filed.
 - c. JSAs shall be specific to the site, the task(s), and the day.
 - d. In the event there is a change from the tasks or hazards covered on the JSA, the JSA shall be modified accordingly, and the crew informed of the change.
- 2. Sites shall be kept reasonably free of trash and shall be regularly cleaned. Site cleaning shall be integrated into work practices to ensure an orderly workplace.
- In addition to Subpart E, Personal Protective and Life Saving Equipment;
 - a. Safety glasses and hard hats shall always be worn.
 - b. While working over an exposed fall hazard, all hard hats shall have chin straps.
 - c. Any time equipment, including pickup trucks, is at the site and is currently running all team members shall wear high visibility shirts or vests.
 - d. All workers in a wind turbine shall have a light source regardless of other circumstances.
- 4. Stretch and Bend
 - a. Prior to any work being performed at a site, all team members shall participate, as a group, in a reasonable stretch and bend program. After any prolonged break, the stretch and bend shall be repeated.

 Smoking is strictly prohibited within the turbine tower, nacelle, and hub. Violation of this rule is grounds for immediate termination.

1926 Subpart D - Occupational Health and

Environmental Controls

- 1. All worksites shall have ready access to first aid equipment and treatment.
 - a. A First Aid kit shall be readily available at all worksites.
 - b. A trauma kit shall be available at all sites where turbine erection is being performed.
- An individual who is certified in both First Aid and CPR by a nationally recognized agency shall be available at all sites where work is being performed.
- 3. Potable water shall be provided at all One Power sites.
 - a. On days with a peak temperature above 90 degrees Fahrenheit, a commercially available electrolyte replenishment drink such as Gatorade[™] or Powerade[™] shall be provided.
- 4. Any employee who will be working with or around a substance that presents an inhalation, absorption, or ingestion hazard shall be made aware of the associated hazards and proper procedures by a qualified supervisor.
 - a. One Power shall provide necessary PPE (Personal Protective Equipment).
 - b. The chemical, task, and precautions shall be identified on the JSA.
 - c. One Power shall make every reasonable effort to use chemicals and substances that do not present a health hazard.
- 5. MSDSs (Material Safety Data Sheets) shall be freely available at the project site for all chemicals on that site.
- 6. One Power team members shall not be exposed to NFPA Health Hazard 3 or 4 substances or chemicals without permission from a corporate officer.

- One Power employees shall not be knowingly exposed to radiation, lead, asbestos, or any chemicals listed under 1926.64 Appendix A.
- 8. All chemicals and substances shall be stored and disposed using good industry practice.

1926 Subpart E - Personal Protective and Life Saving Equipment

- 1. One Power shall provide the following Personal Protective Equipment (PPE):
 - a. Hardhat
 - b. Safety Glasses
 - c. Vest (when required)
 - d. Gloves
 - e. Hearing Protection
 - f. Specialty Safety Equipment
- 2. With the site supervisor's permission, a team member may use their own PPE, provided it meets or exceeds the applicable safety standards.
- 3. One Power Team members are responsible for providing and wearing the following:
 - a. Acceptable long pants
 - b. A shirt with sleeves (4 inch minimum)
 - c. Safety Protective Boots, either steel or composite toe
 - d. Clothes necessary to deal with the effects of the weather
- 4. No work shall be done in areas around water where there is the potential for a team member to fall into the water unless the following conditions are met:
 - a. A corporate officer has approved the project and task.
 - b. An individual who has been properly equipped and trained to perform a rescue is present at the site.
 - c. All employees are required to wear a U.S. Coast Guard approved personal flotation device.
- Lasers that exceed the OSHA published maximum energy intensity for small construction lasers shall not be used.

1926 Subpart F - Fire Protection and Prevention This section is included without modification.

1926 Subpart G - Signs, Signals, and Barricades This section is included without modification.

1926 Subpart H - Materials Handling, Storage, Use, and Disposal

- 1. The following standards shall govern material handling operations that involve rigging of any sort, unless an OSHA standard is more stringent:
 - a. ASME B30.9 Slings
 - b. ASME B30.10 Hooks
 - c. ASME B30.20 Below the Hook Lifting Devices
 - d. ASME B30.26 Rigging Hardware
- 2. For all material handling tasks that involve the rigging of more than 500 pounds of force (including lifting and pulling), a rigger certified by an accredited agency shall be present and responsible.
 - a. The towing of trucks is not subject to this statement.
 - b. The following agencies are currently acceptable:
 - i. NCCCO
 - ii. NCCER
 - iii. American Petroleum Industry
 - iv. Advanced Rigging from CICB
- 3. Rigging shall be purchased from approved vendors only.
- 4. All rigging shall have an attached identification tag, indicating load rating.
- 5. Only rated rigging may be used for lifting operations.
- 6. All tag lines with possible loads above 500 lbs or longer than 100 feet shall be considered rigging.
 - a. All "rigging tag lines" shall be NFPA G rated or higher and only load rated devices shall be used in the load path.
 - b. Any friction or control devices shall be load rated and shall have a "life safety" rating from the NFPA or equivalent approved standard.

1926 Subpart I - Tools - Hand and Power

This section is included without modification.

1926 Subpart J - Welding and Cutting

1. No hot work shall take place inside any enclosed space without having a dedicated firewatch who shall remain at the site for 30 minutes after the hot work is completed.

1926 Subpart K - Electrical

This section is included without modification.

1926 Subpart L - Scaffolds

- 1. No scaffolds shall be used without written approval from a corporate officer.
 - a. This approval shall only be granted when it can be shown that a scaffold is the safest way to do the work.
 - b. This approval shall only be granted when an individual who is competent in the use of the particular scaffold system will be present on site.
 - c. At all times, while on a scaffold of any size, all team members shall utilize 100% tie off when exposed to a potential fall of 6 feet or more.

1926 Subpart M - Fall Protection

- One Power team members, because of the type of work we perform, are exposed to fall hazards on a regular basis. It is important that all team members are generally familiar with safe practices for work at height. All team members who will work at height must be enabled through training, proper work methods, engineering controls, and proper equipment to work as safely as possible at height.
- 2. Incorporated National Consensus Standards
 - a. ASME Z359 (all sections) Fall Protection Standard
 - b. Cordage Institute International Standards shall establish the safe working rules for all life safety rope for standards not covered by NFPA
 - i. CI 1201-06 Fiber Ropes, General Standard

- ii. CI 1202-03 Terminology for Fiber Rope
- iii. CI 1803-03 Kernmantle Accessory Cords
- iv. CI 2001-04 Fiber Rope Inspection and Retirement Criteria
- v. CI 2005-03 Inspection of Kernmantle Rope
- 3. Appointments
 - a. Fall Protection Program Administrator: Jereme Kent
 - b. Competent Rescue Trainer: Jereme Kent
- 4. All team members shall be protected from a fall when they are exposed to a potential fall of more than 6 feet.
 - a. A potential fall is defined as a change in elevation of more than 6 feet from the individual's working level to the lowest surface where they could potentially land in the event of a fall.
 - i. A slope of greater than 60 degrees above the horizontal shall count as a vertical wall when determining potential fall height.
 - b. All systems will be inspected prior to each use by a competent individual and additionally throughout the work as required to ensure the system is operating as intended.
 - c. All fall hazards and their means of protection shall be recognized on the JSA prior to work beginning.
 - d. No individual may work with a harness of any kind without having been trained in the use, inspection, and methods related to the equipment used in that method of Fall Protection.
 - e. The protection method will be one of the following in order of preference:
 - i. Fall Prevention
 - 1. The use of this method removes the potential of a fall altogether.
 - 2. Examples of this method include guardrails, hole covers, temporary barricades, and other methods that eliminate the potential of the fall.
 - 3. All guardrail systems shall meet the specifications outlined in 7 CFR 1926.

- ii. Fall Restraint
 - 1. This method prevents individuals who are exposed to a potential from physically being able to put themselves in a position to fall.
 - 2. All fall restraint systems shall be required to meet the strength specifications of Fall Arrest systems.
 - a. All connectors and attachment points shall have a minimum strength of 5000 lbs per individual attached to that connector.
 - 3. A full body harness must be worn with all fall restraint systems.
 - 4. All cable grab systems that are used as part of a fall restraint system shall meet the following specifications:
 - a. They must be attached to a chest D ring on a full body harness
 - b. They must limit the total fall exposure to no more the 18 inches total in any configuration used.
 - c. They must be used with a system strength of 5000 pounds per person on the system at any one time.
 - d. They must be on 8.0 to 9.5 mm aircraft grade wire rope.
 - e. All wire rope end connections must be installed with the most current Crosby recommendations as found in the Crosby manual.
 - f. Wire rope used in fall restraint systems must have no other use.
 - g. All wire rope systems installed by One Power will be 9mm wire rope.
 - 5. Rope Grab Systems
 - a. The only rope grab system allowed by One Power is the Petzl ASAP.
 - b. This system must be attached to the dorsal D ring and shall be treated as a fall arrest system.
 - c. This system must be installed using NFPA G rated static rope that is in accordance with the most current Petzl guidance.

- 6. Work positioning systems shall not be considered Fall Restraint.
 - a. An individual who is using a work position system shall also be required to have in place a Fall Arrest system.
 - b. All work positioning systems shall have minimum system strength of 5000 pounds.
 - c. Individuals who climb lattice towers shall be required to climb with at least one Work Positioning System and a harness with side D Rings.
- 7. Fall Arrest
- 1. This method must be used when neither Fall Prevention nor Fall Restraint can be used to control fall exposure.
- 2. This method is a way of controlling the forces placed on the body once a fall has occurred to safely stop the individual.
- 3. All forces on the body shall be limited to 1800 pounds.
- 4. The Fall Arrest system must be designed to have minimum system strength of 5000 pounds per person on the system.
- 5. All Fall Arrest systems must be attached to the dorsal D Ring of the individual.
- All team members who will be climbing a tower, regardless of type, shall climb with two shock absorbing lanyards or a "Y" lanyard (preferred).
- 7. Only Fall Arrest harnesses approved by a company officer shall be used. This includes personal harnesses provided by team members.
- 8. One Power shall provide harnesses for team members. Team members may use own harnesses provided the above approval is given.
- 9. Regardless of fall exposure, all individuals who are climbing a tower of any type shall keep their

harness on at all times unless doing so would present a greater risk.

- a. The "greater risk" exemption may only apply when there is ZERO potential for a fall exposure.
- b. An example is when working inside an enclosed nacelle and around the rotating drive shaft where the potential for the harness or lanyards to become caught presents a greater risk.
- 10. The Fall Arrest system must be designed so that the individual can maintain 100% tie off, meaning that at no point are they exposed to an un-arrested fall.
- f. Tower Rescue
 - i. No individual may climb more than 20 feet on any lattice tower without a rescue system in place and a trained individual, other than the worker, present at the immediate worksite.
 - ii. For heights above 50 feet, a rope tower rescue system shall be in on site and readily available.
 - iii. The Rope Tower Rescue System shall:
 - 1. Meet the requirements of a rescue system under ANSI Z359.4.
 - Consist of the Petzl ID Large as the primary descent control device. Alternate systems may be used only with corporate approval.
 - 3. Be packed only by an authorized individual as defined by ANSI Z359.4.
 - 4. Be inspected and documented at least monthly.
 - iv. The Rescuer shall:
 - 1. Have completed a Tower Rescue Course that meets the requirements of one of the following standards:
 - a. National Association of Tower Erectors
 - b. ANSI Z359.4 for Authorized Rescuer
 - c. NFPA Rope Rescue Technician Level 1 or Higher
 - d. SPRAT Level 1 or higher
 - 2. Regardless of the initial training, be trained specifically for the Petzl ID and the specific way in which it is packed for their job tasks.

- 3. Regularly (every 6 months) receive refresher training on the system.
- v. Post Rescue
 - 1. All individuals who are rescued after a fall from height where they hung suspended for any period of time shall be treated for orthostatic shock.
 - a. They shall be transported to the hospital by advanced life support qualified paramedics only.
 - b. They shall be screened for kidney function.
- 5. Rope Access
 - a. It is not the intention of One Power to engage in rope access work.
 - b. In the event that rope access is the only reasonable means to accomplish the work, then only individuals who have received rope access training by a nationally accredited agency may perform the work.
- 6. Crane Assembly Exception
 - a. A specific fall protection plan shall be in place for crane assembly operations.

1926 Subpart N - Helicopters, Hoists, Elevators, and Conveyors

This section is included without modification.

1926 Subpart O - Motor Vehicles, Mechanized Equipment, and Marine Operations

This section is included without modification.

1926 Subpart P - Excavations

- 1. No shoring or trench boxes of any kind shall be used.
- No multi-angle sloping systems shall be used as a protection system.
- **3**. The balance of this Subpart is adopted without modification.

1926 Subpart Q - Concrete and Masonry Construction

This section is included without modification.

1926 Subpart R - Steel Erection

The provisions of Subpart R that differ from Subpart M with respect to fall protection are <u>not</u> adopted. Otherwise, the balance of Subpart R is adopted without modification.

1926 Subpart S - Underground Construction, Caissons, Cofferdams, and Compressed Air

This section is included without modification.

1926 Subpart T - Demolition

This section is included without modification.

1926 Subpart U - Blasting and the Use of Explosives

This section is included without modification. 1926 Subpart V - Power Transmission and Distribution

This section is included without modification.

1926 Subpart W - Rollover Protective Structures; Overhead Protection

This section is included without modification.

1926 Subpart X - Ladders

This section is included without modification.

1926 Subpart Y - Commercial Diving Operations

No commercial diving operations shall be performed by One Power or its team members.

1926 Subpart Z - Toxic and Hazardous Substances This section is included without modification.

1926 Subpart CC - Cranes and Derricks in Construction

1. All cranes that are erected on site and will be used for critical picks require that an inspector not involved in the

crane erection do a complete inspection on the crane after it is assembled.

- 2. Cranes may be partially disassembled and reassembled on site provided the following are met:
 - a. If more than a boom and counterweight disassembly is required, then an independent inspector is required after reassembly.
 - b. A qualified erector must be present for any modifications, or full or partial breakdowns.
- 3. A crane erection specific JSA must be done prior to any erection activities.
- 4. A hard copy of the crane assembly manual must be present at the site prior to any assembly/ disassembly activity taking place.
- 5. "Walking the Boom" will only be permitted below 10 feet and when no other option is feasible or safer. If this is to be done, it must be addressed on the JSA.
- 6. Incorporated Standards
 - a. ASME B30.5 Mobile Cranes
- All crane operators for mobile cranes as defined by ASME B30.5 above 3 tons shall be certified by a nationally accredited crane operator program.
- 8. A pre-pick meeting shall be held prior to ALL critical picks.
- 9. Critical Pick Policy
 - a. All picks above 30,000 lbs, 50% of crane gross capacity, or valued at more than US\$50,000, shall be considered critical picks. Critical picks shall be planned in writing with the appropriate level of detail per the following schedule:
 - i. Level 1 Critical Pick
 - 1. Any of the following: 30,000 lbs, 50% gross capacity, valued at US\$50,000 or greater.
 - 2. Written pick plan that includes crane capacity, detailed weight calculation, percentage of capacity, maximum wind speed, maximum radius, and other data necessary to ensure a safe crane pick.

- 3. Approval: Certified Crane Operator, Certified Rigger, foreman in charge (may be rigger).
- ii. Level 2 Critical Pick
 - 1. Any of the following: 75,000 lbs, 75% gross capacity, valued at US\$100,000 or greater, or tandem picks.
 - 2. Written pick plan that includes crane capacity, detailed weight calculation, percentage of capacity, maximum wind speed, maximum radius, maximum height, and other data necessary to ensure a safe crane pick.
 - 3. Written ground loading, bearing pressure, matting plan.
 - 4. Written boom and load geometry plan.
 - 5. Written rigging and tagline plan.
 - 6. Written pre-pick checklist.
 - Approval: Contractor qualified pick planner, One Power qualified pick planner review, certified crane operator, certified rigger, foreman in charge (may be rigger).
- iii. Level 3 Critical Pick
 - 1. Any of the following: 150,000 lbs, 90% gross capacity, valued at US\$500,000 or greater.
 - 2. Written pick plan that includes crane capacity, detailed weight calculation, percentage of capacity, maximum wind speed, maximum radius, maximum height, and other data necessary to ensure a safe crane pick.
 - 3. Written ground loading, bearing pressure, matting plan.
 - 4. Written boom and load geometry plan.
 - 5. Written wind loading evaluation.
 - 6. Written certification of load weight, or plan to determine weight.
 - 7. Written hazard/ failure mode analysis.

- 8. Written rigging and tagline plan.
- 9. Written pre-pick checklist.
- 10. Approval: Contractor qualified pick planner (must demonstrate experience on similar picks, PE alone is not acceptable), One Power General Manager, certified crane operator, certified rigger, foreman in charge (may be rigger).
- iv. <u>Notes</u>
 - 1. One copy of the pick plan materials shall be kept in the crane cab.
 - 2. One copy of the pick plan materials shall be maintained by One Power.
 - 3. One copy of the pick plan materials shall be maintained by contractor.
 - 4. The pre-pick plan checklist, when required, shall be completed in writing by the crane operator prior to the pick beginning.
- 10. Methods shown in the latest edition of the reference text, *Cranes and Derricks* by Shapiro and Shapiro, shall be used to calculate the wind and ground loading of all picks exceeding 50,000 lbs.
 - a. All calculations shall be attached to the pick plan.
 - b. All calculations shall be made by a certified rigger with professional education or training in engineering calculations of this type.
- 11. Crawler crane walks shall be planned and executed only by those approved by the General Manager. All such walks shall include a written plan, geotechnical engineer review, bearing pressure analysis, and proof roll.
- 12. Tandem Picks
 - a. All tandem crane picks, including tailing operations, shall require a pick plan for both cranes, and a summary sheet that shows the geometry used in each crane's pick plan.

- b. During a tandem pick, no crane shall make a pick exceeding 75% of its rated capacity.
- c. The certified rigger responsible for the tandem pick shall have experience and engineering abilities necessary to calculate the loading of each crane throughout the lifting process.
- d. During a tandem pick, no crane's load line shall be allowed to become more the 10 degrees off vertical.
- 13. Man Baskets
 - a. No man basket picks shall be made without the review and approval of the General Manager.
 - b. All man basket picks shall be subject to the restrictions in 1926 Subpart M.
- 14. Wind speed shall be based on the crane, the load, and the task. Maximum speeds must be identified on the JSA and the pick plan. The highest gust at tip height shall be the speed.

HELPFUL REFERENCES


ONE ENERGY'S HEAT SAFETY POLICY

40 80 81 83 85 88 91 94 97 101 105 109 114 119 124 1		Temperature (°F)							
	94 96 98 100 102 104 106 108	92	90	88	86	84	82	80	
50 81 83 85 88 91 95 99 103 105 113 118 124 130 137 55 81 84 86 89 93 97 101 106 112 110 124 130 137 60 82 84 88 91 95 100 105 110 124 120 137 140	97 101 105 109 114 119 124 130	94	91	88	85	83	81	80	40
55 81 84 86 89 93 97 101 106 112 17 124 130 137 60 82 84 88 91 95 100 105 10 120 120 137 120 137 65 82 85 89 93 98 103 108 110 120 120 137 70 83 86 90 95 100 105 112 119 126 134 141 130 137 75 84 88 92 97 103 101 124 124 144 141 141 130 137 75 84 88 92 97 103 101 124 124 144 141 141 141 141 141 141 141 141 141 141 141 141 141 141 141 141	100 104 109 114 119 124 130 13 7	96	93	89	87	84	82	80	45
60 82 84 88 91 95 100 105 110 116 123 129 137 65 82 85 89 93 98 103 108 114 121 128 137 70 83 86 90 95 100 105 112 119 126 134 75 84 88 92 97 103 109 166 124 124 124 144 84 89 94 100 106 113 121 124 124 124 80 84 89 94 100 106 113 121 124<	103 108 113 118 124 131 137	99	95	91	88	85	83	81	50
65 82 83 84 93 98 103 108 114 121 128 136 70 83 86 90 95 100 105 112 119 126 134 75 84 88 92 97 103 106 124 124 124 134 80 84 89 94 100 106 114 124 124 124 80 84 89 94 100 106 113 120 124 124 124 80 84 89 94 100 106 113 120 124	106 112 117 124 130 137	101	97	93	89	86	84	81	55
70 83 86 90 95 100 102 112 112 134 75 84 88 92 97 103 109 16 124 124 80 84 89 94 100 106 113 124 124 85 85 90 94 102 104 114 126 124 90 86 91 90 102 110 126 129 141 91 86 91 91 105 113 126 129 141 91 86 91 91 103 114 126 129 141 91 86 91 91 103 121 126 129 141 91 86 91 91 133 121 126 129 141 91 86 91 91 133 122 134 141 141 92 86 91 136 127 127 141 141 91 92 132 124 134 142 141	110 116 123 129 137	105	100	95	91	88	84	82	60
75 84 88 92 97 103 109 116 124 132 80 84 89 94 100 106 113 121 129 85 85 90 96 102 100 117 126 129 98 84 19 105 113 121 129 98 86 91 98 105 113 122 131 95 86 93 100 108 117 122 141 100 87 95 103 103 121 151	114 121 128 136	108	103	98	93	89	85	82	65
80 84 89 94 100 106 113 121 129 85 85 90 96 102 110 117 126 129 90 86 91 98 105 113 122 131 95 86 93 100 108 117 127 121 100 87 95 103 122 132 121 121	119 126 134	112	105	100	95	90	86	83	70
85 90 96 102 110 117 126 129 90 86 91 98 105 113 122 131 95 86 93 100 108 117 127 100 87 95 103 112 132	124 132	116	109	103	97	92	88	84	75
90 86 91 98 105 113 122 131 95 86 93 100 108 117 127 100 87 95 103 112 121	129	121	113	106	100	94	89	84	80
95 <mark>86 93 100 108 117 127</mark> 100 <mark>87 95 103</mark> 112 121 132	129	126	117	110	102	96	90	85	85
100 87 95 103 112 121 132		131	122	113	105	98	91	86	90
			127	117	108	100	93	86	95
Likelihood of Heat Disorder with Prolonged Exposure or Strenuous Activi			132	121	112	103	95	87	100
Caution Extreme Caution Danger Extreme Dan									

One Energy's Heat Safety Policy is based on the Heat Index published by the National Weather Service, a division of the National Oceanic and Atmospheric Administration (NOAA).

Source: http://www.nws.noaa.gov/os/heat/index.shtml

39






Avoid/limit exposed work. Clothing Checks. Ensure heated space is available.


Emergency Work Only


No Work




**Download "CARGO DECODER" app to identify all ID Codes

Soil Benching/Sloping








Trench Excavation Rules

- Egress within 25ft of work for trenches over 4ft deep
- Over 5ft deep requires shoring/protection
- Inspected daily/prior to entry
- Over 4ft deep may require gas testing
- Spoils/Equipment 3' clear of edges
- Over 20' depth requires PE

Unprotected Shaft Excavation




811 Color Codes

White	Proposed Excavation
Pink	Temporary Survey Markings
Red	Electric Power Lines, Cables, Conduit, and Lighting Cables
Yellow	Gas, Oil, Steam, Petroleum, or Gaseous Materials
Orange	Communication, Alarm or Signal Lines, Cables, or Conduit
Blue	Potable Water
Purple	Reclaimed Water, Irrigation, and Slurry Lines
Green	Sewers and Drain Lines

Soil Classification


SOIL CLASSIFICATIONS



	CLASS A	CLASS B	CLASS C	CLASS D	Electrical	CLASS F	
, Tree	Combustible	Flammable	Flammable	Flammable	Electrical		Commonte
odi.	(e.g. paper &	e.g. paint &	gases (e.g. butane	e.g. lithium &	e-g. computers	(e.g. chip pans)	
Extinguisher	(poom	petrol)	and methane)	potassium)	& generators)		
Water	>	×	×	×	×	×	Do not use on liquid or electric fires
Foam	>	>	×	×	×	×	Not suited to domestic use
Dry Powder	>	>	>	>	>	×	Can be used safely up to 1000 volts
C02	×	>	×	×	>	×	Safe on both high and low voltage
Wet Chemical	>	×	×	×	×	>	Use on extremely high temperatures



	<u>NFPA 70 E TABLE 130.2 (C)</u>								
NOMINAL SYSTEM VOLTAGE RANGE	LIMITED APPROACH BOUNDARY	LIMITED APPROACH BOUNDARY	RESTRICTIVE APPROACH BOUNDARY	PROHIBITIVE APPROACH BOUNDARY					
PHASE TO PHASE	EXPOSED MOVABLE CONDUCTOR	EXPOSED FIXED CIRCUIT	INCLUDES INADVERTENT MOVEMENT ADDER	INCLUDES REDUCED INAD VERTENT MOVEMENT ADDER					
LESS THAN 50 V	NOT SPECIFIED	NOT SPECIFIED	NOT SPECIFIED	NOT SPECIFIED					
50 TO 300 V	10 FEET 0 INCH	3 FEET 6 INCH	AVOID CONTACT	AVOID CONTACT					
301 TO 750 V	10 FEET 0 INCH	3 FEET 6 INCH	1 FEET 0 INCH	0 FEET 1 INCH					
751 TO 15 KV	10 FEET 0 INCH	5 FEET 0 INCH	2 FEET 2 INCH	0 FEET 7 INCH					
15.1 TO 36 KV	10 FEET 0 INCH	6 FEET 0 INCH	2 FEET 7 INCH	0 FEET 10 INCH					
	DISTANCE IN		S OF THE ENERGIZ	ED PART FROM					




Crane Operation Near Power Lines

Operation Near High-Voltage Power Lines Normal Voltage Minimum Clearance				
Minimum Clearance				
10 feet				
15 feet				
20 feet				
25 feet				
35 feet				
45 feet				

SME B30.5-2004

Operation In Transit With No Load And Boom Lowered				
Normal Voltage	Minimum Clearance			
to 0.75 kV	4 feet			
Over 0.75 to 50 kV	6 feet			
Over 50 to 345 kV	10 feet			
Over 345 to 750 kV	16 feet			
Over 750 to 1000 kV	20 feet			

ASME B30.5-2004



NIMS

ICS Position Titles

Organizational Element	Leadership Position Titles	Support Positions
Incident Command	Incident Commander	Deputy
Command Staff	Officer	Assistant
Section	Section Chief	Deputy
Branch	Branch Director	Deputy
Divisions & Groups*	Supervisors	N/A
Unit**	Unit Leader	Manager, Coordinator
Strike Team/Task Force	Leader	Single Resource Boss, Companies/Crews
Single Resource Boss	Boss	N/A
Technical Specialist Specialist	Specialist	N/A

ICS Organization and Operations


ICS organizations have five major functional areas, referred to as **Command** and **General Staff: Command**, **Operations, Planning, Logistics, Finance/Administration**, and may include the **Intelligence/Investigations** function which can be organized a number of ways.


Command

- The Command Position can be a single Incident Commander (IC), or Unified (UC)
- Command Staff consists of the Public Information Officer (PIO), Safety Officer (SO), and the Liaison Officer (LNO)

General Staff

 General Staff consist of the Operations Section Chief, Planning Section Chief, Logistics Section Chief, and the Finance/Admin Section Chief





NOTES ADD TO THE BOOK					

